


CODO 90° RADIO LARGO

WP-316/316L SCH 10

 Conforme a:
 ASME B16.9 y ASTM A-403

Diámetro Nominal		Identificación	Diámetro Externo (OD)		Diámetro Interno (ID)		espesor de pared (T)		Avance (C)		Peso nominal	
(NPS)	DN		mm	inch	mm	inch	mm	inch	mm	inch	Lb	Kg
1/2"	15	10	21.3	0.84	17.12	0.67	2.1	0.083	38.1	1.50	0.13	0.06
3/4"	20	10	26.7	1.05	22.5	0.88	2.1	0.083	38.1	1.50	0.15	0.07
1"	25	10	33.4	1.32	27.9	1.10	2.8	0.109	38.1	1.50	0.31	0.14
1-1/4"	32	10	42.2	1.66	36.6	1.44	2.8	0.109	47.8	1.88	0.51	0.23
1-1/2"	40	10	48.3	1.90	42.7	1.68	2.8	0.109	57.2	2.25	0.66	0.30
2"	50	10	60.3	2.38	54.8	2.16	2.8	0.109	76.2	3.00	1.10	0.50
2-1/2"	65	10	73.0	2.88	66.9	2.64	3.0	0.120	95.3	3.75	1.87	0.85
3"	80	10	88.9	3.5	82.8	3.3	3.0	0.120	114.3	4.5	2.76	1.25
4"	100	10	114.3	4.5	108.2	4.3	3.0	0.120	152.4	6.0	4.63	2.10
6"	150	10	168.3	6.6	161.5	6.4	3.4	0.134	228.6	9.0	12.0	5.5